


ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

MANUFACTURER:

Good Forest Inc
Wild by Nature
933 Louise Ave, Suite 525
Charlotte, NC 28204

**SAMPLE INFORMATION**

Sample No.: 1150089
Product Name: Calm Plus
Matrix: Edible (Gummy)
Batch #: 01202023-22-FS2

Date Collected: 02/02/2023
Date Received: 02/06/2023
Date Reported: 03/09/2023

TEST SUMMARY

Cannabinoid Profile: ✔ Tested
Residual Solvent Screen: ✔ Pass
Foreign Material: ✔ Pass
Water Activity: ✔ Pass

Microbiological Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Pesticide Screen & Mycotoxins - CO CDPHE: ✔ Pass

Cannabinoid Profile

02/09/2023

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.033 mg/g
Limit of Quantification 0.1 mg/g

Cannabinoid	mg/g	%	mg/serving
Δ8-THC	<LOQ	<LOQ	<LOQ
Δ9-THC	0.57	0.057	3.61
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	3.57	0.357	22.78
CBDA	ND	ND	ND
CBC	ND	ND	ND
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	ND	ND	ND
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	0.57	0.057	3.61
Total CBD	3.57	0.357	22.78
Total Cannabinoids	4.13	0.413	26.40
Sum of Cannabinoids	4.13	0.413	26.40
Serving Weight (g)	6.3862		

Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen ✔ Pass

02/07/2023

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/25g	Pass
STEC	3M MDS STEC	Negative/25g	Pass

Residual Solvent Screen ✓ Pass

02/08/2023

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Comments Amended CoA

Heavy Metal Screen ✓ Pass

02/08/2023

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Foreign Material ✓ Pass

02/08/2023

Method: MF-MACRO-5

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Pesticide Screen & Mycotoxins - CO CDPHE ✓ Pass

02/08/2023

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (ppm)	ppm	Limit	Status
Acephate	0.006/0.02	ND	0.05	Pass
Acequinocyl	0.009/0.03	ND	0.03*	*
Acetamiprid	0.015/0.05	ND	0.05	Pass
Aflatoxin B1	0.002/0.005	ND	0.005	Pass
Aflatoxin B2	0.002/0.005	ND	0.005	Pass
Aflatoxin G1	0.002/0.005	ND	0.005	Pass
Aflatoxin G2	0.002/0.005	ND	0.005	Pass
Total Aflatoxins	0.008/0.02	ND	0.02	Pass
Aldicarb	0.02/0.06	ND	0.5	Pass
Allethrin	0.03/0.1	ND	0.1	Pass
Atrazine	0.008/0.025	ND	0.025*	*
Avermectin B1a	0.075/0.25	ND	0.25	Pass
Azadirachtin	0.15/0.5	ND	0.5	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Benzovindiflupyr	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass

Analyte	LOD / LOQ (ppm)	ppm	Limit	Status
Bifenthrin	0.06/0.2	ND	0.2*	*
Boscalid	0.003/0.01	ND	0.01	Pass
Buprofezin	0.006/0.02	ND	0.02*	*
Carbaryl	0.008/0.025	ND	0.025	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.006/0.02	ND	0.02*	*
Chlorfenapyr	0.015/0.05	ND	1.5	Pass
Chlorpyrifos	0.01/0.04	ND	0.5	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Clothianidin	0.008/0.025	ND	0.025	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyantraniliprole	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.06/0.2	ND	0.2*	*
Cyhalothrin (Lambda)	0.15/0.5	ND	0.5*	*
Cypermethrin	0.09/0.3	ND	0.3*	*
Cyprodinil	0.003/0.01	ND	0.01	Pass
Daminozide	0.03/0.1	ND	0.1*	*
Deltamethrin	0.15/0.5	ND	0.5*	*
Diazinon	0.006/0.02	ND	0.02*	*
Dichlorvos	0.015/0.05	ND	0.05	Pass
Dimethoate	0.003/0.01	ND	0.01	Pass
Dimethomorph	0.015/0.05	ND	0.05*	*
Dinotefuran	0.015/0.05	ND	0.05	Pass
Diuron	0.015/0.05	ND	0.05*	*
Dodemorph	0.015/0.05	ND	0.05*	*
Endosulfan sulfate	0.015/0.05	ND	2.5	Pass
Endosulfan-alpha (I)	0.015/0.05	ND	2.5	Pass
Endosulfan-beta (II)	0.015/0.05	ND	2.5	Pass
Ethoprophos	0.003/0.01	ND	0.01	Pass
Etofenprox	0.015/0.05	ND	0.05*	*
Etoxazole	0.006/0.02	ND	0.02*	*
Etridiazole	0.009/0.03	ND	0.15	Pass
Fenhexamid	0.015/0.05	ND	0.05*	*
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.01/0.04	ND	0.04*	*
Fensulfothion	0.003/0.01	ND	0.01	Pass
Fenthion	0.003/0.01	ND	0.01	Pass
Fenvalerate	0.03/0.1	ND	0.1*	*
Fipronil	0.003/0.01	ND	0.01	Pass
Fonicamid	0.008/0.025	ND	0.025	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Fluopyram	0.003/0.01	ND	0.01	Pass
Hexythiazox	0.006/0.02	ND	0.02*	*
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Iprodione	0.15/0.5	ND	0.5	Pass
Kinoprene	0.3/1.0	ND	1.25	Pass
Kresoxim-methyl	0.006/0.02	ND	0.15	Pass
Malathion	0.003/0.01	ND	0.01	Pass
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.008/0.025	ND	0.025	Pass
Methoprene	0.6/2	ND	2*	*
Methyl parathion	0.015/0.05	ND	0.05*	*
Mevinphos	0.008/0.025	ND	0.025	Pass
MGK-264	0.015/0.05	ND	0.05*	*
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.015/0.05	ND	0.05*	*
Novaluron	0.008/0.025	ND	0.025	Pass
Ochratoxin A	0.002/0.005	ND	0.005	Pass
Oxamyl	0.015/0.05	ND	1.5	Pass
Paclobutrazol	0.003/0.01	ND	0.01	Pass
Permethrin	0.09/0.3	ND	0.3*	*
Pentachloronitrobenzene	0.006/0.02	ND	0.02*	*
Phenothrin	0.06/0.2	ND	0.2*	*
Phosmet	0.006/0.02	ND	0.02*	*
Piperonyl butoxide	0.015/0.05	ND	1.25	Pass
Pirimicarb	0.003/0.01	ND	0.01	Pass
Prallethrin	0.03/0.1	ND	0.1*	*
Propiconazole	0.015/0.05	ND	0.05*	*

Analyte	LOD / LOQ (ppm)	ppm	Limit	Status
Propoxur	0.003/0.01	ND	0.01	Pass
Pyraclostrobin	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.09/0.3	ND	0.3*	*
Pyridaben	0.006/0.02	ND	0.02	Pass
Pyriproxyfen	0.006/0.02	ND	0.02*	*
Resmethrin	0.015/0.05	ND	0.05	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spirodiclofen	0.03/0.1	ND	0.1*	*
Spiromesifen	0.03/0.1	ND	0.1*	*
Spirotetramat	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.015/0.05	ND	0.05*	*
Tebuconazole	0.003/0.01	ND	0.01	Pass
Tebufenozide	0.003/0.01	ND	0.01	Pass
Teflubenzuron	0.008/0.025	ND	0.025	Pass
Tetrachlorvinphos	0.003/0.01	ND	0.01	Pass
Tetramethrin	0.09/0.3	ND	0.3*	*
Thiabendazole	0.006/0.02	ND	0.02*	*
Thiacloprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Thiophanate-methyl	0.015/0.05	ND	0.05*	*
Trifloxystrobin	0.003/0.01	ND	0.01	Pass

Water Activity

02/08/2023

Method: MF 14G051

Instrument: Decagon

Analyte	Findings	Limit	Status
Water Activity	0.69	0.85	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




Vu Lam
Lab Co Director



Scan to verify