

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Matrix: Derivative



Sample: DA30324011-001

Harvest/Lot ID: N/A

Batch#: 2303001 **Cultivation Facility:**

Processing Facility:

Distributor Facility:

Source Facility: Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 30 ml Total Amount: 30 ml

Retail Product Size: 30 ml

Ordered: 03/23/23 Sampled: 03/23/23

Completed: 03/29/23 Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5

Charlotte, NC, 28204, US

933 Louise Ave, Suite 525

SAFETY RESULTS PRODUCT IMAGE





Pesticides

Mar 29, 2023 | Good Forest Inc





Heavy Metals PASSED



Mycotoxins



PASSED





Water Activity PASSED



Moisture



MISC.

NOT TESTED



Cannabinoid

PASSED



Total THC

0.023% Total THC/Container: 6.624 mg

Microbials

Total CBD

Total CBD/Container: 3097.44 mg



Total Cannabinoids

Total Cannabinoids/Container: 6891.264 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
6	0.023	< 0.02	10.755	ND	ND	13.121	ND	ND	ND	ND	0.029
ng/ml	0.22	<0.192	103.248	ND	ND	125.961	ND	ND	ND	ND	0.278
.OD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%
alyzed by: 12, 585, 4044			Weight: 2.94890			tion date: '23 10:20:59	-			xtracted by:	

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA057893POT

Instrument Used: DA-LC-003 (Derivatives) Running on: 03/27/23 10:23:23

Dilution: 400

Dilution : 400
Reagent : 032323.R04; 071222.01; 032323.R01
Consumables : 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Jorge Segredo Lab Director

Reviewed On: 03/28/23 13:15:05

Batch Date: 03/26/23 00:01:12

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/29/23

Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



DAVIE, FL, 33314, US

Kaycha Labs

Matrix : Derivative



Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample: DA30324011-001 Harvest/Lot ID: N/A

Batch#: 2303001 Sampled: 03/23/23 Ordered: 03/23/23 Sample Size Received: 30 ml

Total Amount: 30 ml Completed: 03/29/23 Expires: 03/29/24 Sample Method : SOP Client Method

PASSED

Page 2 of 5



Pesticides

PASSED

— X												
Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	0.085	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	mag	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE		0.01	ppm	1	PASS	< 0.05
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND					0.1	PASS	ND
CEPHATE	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm			
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
OXYSTROBIN	0.01	ppm	3	PASS	0.085	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		ENZENE (DOND) *	0.01	PPM	0.2	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *						
ILORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.299g		3 15:15:41		3379,450	
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.				(Davie), SOP		Gainesvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA05				On:03/28/2		
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-L		Batch Date: 03/27/23 07:56:41				
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 03/27/23 1	.3:22:21					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250	022722 001, 02202	2 000, 022	722 002. 0	22122 001. 0	22222 001. 0	10521 11
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 669707		23.R08; 032723.R02; 032123.R01; 032223.R01; 040521.				
ONICAMID	0.01	ppm	2	PASS	ND	Pipette: DA-093; DA-09						
UDIOXONIL	0.01	ppm	3	PASS	< 0.05	Testing for agricultural ad	ents is performed ut	ilizina Liauia	Chromatoo	raphy Triple-0	Duadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordar				7	(/ /	
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted	by:
IDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044	0.299g		15:15:41		3379,450	
ESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SOP.						
LATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DA05				n:03/28/23 1		
TALAXYL	0.01	ppm	3	PASS	ND	Instrument Used : DA-G Running on : 03/27/23 1		Ва	atte :	03/27/23 08:	00.39	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250	.5.47.74					
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 032023.R08;	040521.11: 030923	R23: 03093	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 669707		5, 55652				
YCLOBUTANIL	0.01	ppm	3	PASS	ND							
ALED	0.01	ppm	0.5	PASS	ND						adrupole Mass	Spectron

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/29/23



DAVIE, FL, 33314, US

Kaycha Labs

N/A

Matrix : Derivative



PASSED

Page 3 of 5

Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample : DA30324011-001 Harvest/Lot ID: N/A

Batch#: 2303001 Sampled: 03/23/23 Ordered: 03/23/23 Total Amount: 30 ml Completed: 03/29/23 Expires: 03/29/24

Sample Method : SOP Client Method

Residual Solvents

A	S	S	Е	D

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	<200
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0195g	Ext N/A	raction date:	Extrac 850	cted by:

Reviewed On: 03/29/23 16:51:12 Batch Date: 03/27/23 16:38:28

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA057932SOL Instrument Used : DA-GCMS-002

Running on : 03/29/23 16:33:06

Reagent: 030420.09 Consumables: G201.062; G201.120 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/29/23



DAVIE, FL, 33314, US

Kaycha Labs

N/A



PASSED

Matrix : Derivative

Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample : DA30324011-001 Harvest/Lot ID: N/A

Sampled: 03/23/23 Ordered: 03/23/23

Total Amount: 30 ml Completed: 03/29/23 Expires: 03/29/24 Sample Method : SOP Client Method

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: Weigh 3621, 3390, 585, 4044 0.914		Extraction 03/25/23 1		Extracte 3621	ed by:

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057865MIC Reviewed On: 03/28/23

Instrument Used: PathogenDx Scanner DA-111,Applied BiosystemsBatch Date: 03/25/23 Thermocycler DA-010,fisherbrand Isotemp Heat Block 09:48:38

Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Running on: 03/26/23 08:50:35

Dilution: N/A

Reagent: 011223.47; 031423.R29; 092122.07

Consumables: 7558002031 Pipette: N/A

Pipette: N/A

Analyzed by: 3336, 3390, 585, 4044	Weight: 0.9141g	Extraction date: 03/25/23 10:58:54	Extracted by: 3621,3336
Analysis Method: SOP.T.40. Analytical Batch: DA05787 Instrument Used: Incubator Running on: 03/25/23 15:10	7TYM · (25-27C) DA-09	Reviewed On:	03/28/23 09:11:07 3/25/23 10:59:06
Dilution: 10 Reagent: 011223.47 Consumables: 007109			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

محمو
9()9
δ,

	LOD	Units	Result	Pass / Fail	Action Level	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
Analyzed by: Weight: 3379, 585, 4044 0.299g		Extraction date: 03/27/23 15:15:41		Extracted by: 3379,450		
		0.002 0.002 0.002 0.002 0.002 Weight: Extraction dat	0.002 ppm	0.002 ppm ND Weight: Extraction date: E		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA057904MYC Reviewed On: 03/28/23 12:42:28 Batch Date: 03/27/23 08:00:37

Instrument Used: N/A Running on: 03/27/23 13:21:43

Dilution: 250 Reagent: 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METAL	. S 0.11	ppm	ND	PASS	5	
ARSENIC	0.02	ppm	ND	PASS	1.5	
CADMIUM	0.02	ppm	ND	PASS	0.5	
MERCURY	0.02	ppm	ND	PASS	3	
LEAD	0.05	ppm	ND	PASS	0.5	
Analyzed by: Weight:	Extraction da		Extracted by:			
1022, 585, 4044 0.2268g	03/27/23 07:3	3/27/23 07:39:14 1022,36				

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057878HEA Instrument Used : DA-ICPMS-003 Running on: 03/27/23 11:40:44

Reviewed On: 03/28/23 08:58:55 Batch Date: 03/25/23 11:04:22

Reagent: 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31;

032323.R07; 020123.02 Consumables: 179436; 210508058; 12607-302CC-302

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/29/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample : DA30324011-001 Harvest/Lot ID: N/A

Sampled: 03/23/23 Ordered: 03/23/23

Total Amount: 30 ml Completed: 03/29/23 Expires: 03/29/24 Sample Method : SOP Client Method

Page 5 of 5

Kaycha Labs

Matrix : Derivative

N/A

PASSED



Filth/Foreign **Material**

Reviewed On: 03/26/23 09:23:31

Batch Date: 03/26/23 09:10:14

Reviewed On: 03/27/23 10:52:35

Batch Date: 03/24/23 11:11:31

Analyte Units **Action Level** Filth and Foreign Material PASS 0.1 % ND

Analyzed by: Weight: **Extraction date:** Extracted by: 1879, 4044

Analysis Method: SOP.T.40.090 Analytical Batch: DA057900FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 03/26/23 09:12:58

Dilution: N/A Reagent: N/A Consumables: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Pipette: N/A

Water Activity

PASSED

Analyte LOD Units Result P/F **Action Level Water Activity** 0.01 aw 0.458 PASS 0.85

Analyzed by: 3807, 585, 4044 Extraction date: Extracted by: 0.547g 03/27/23 10:31:50

Analysis Method: SOP.T.40.019 Analytical Batch : DA057842WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 03/24/23 14:57:03

Reagent: 100522.09 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Jorge Segredo

Lab Director



03/29/23