

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs



Matrix: Derivative

Sample: DA30324011-002

Harvest/Lot ID: N/A

Batch#: 2303002

Cultivation Facility:

Processing Facility: Distributor Facility:

Source Facility:

Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 30 ml

Total Amount: 30 ml

Retail Product Size: 30 ml Ordered: 03/23/23

> Sampled: 03/23/23 Completed: 03/28/23

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5

PRODUCT IMAGE

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US

SAFETY RESULTS

Mar 28, 2023 | Good Forest Inc







Heavy Metals PASSED Microbials



Mycotoxins Residuals Solvents PASSED



Filth



Water Activity



Moisture NOT TESTED



MISC.

NOT TESTED



Cannabinoid

PASSED



Total THC 0.042%

Total THC/Container: 12.096 mg



Total CBD

Total CBD/Container: 4536.576 mg



Total Cannabinoids

Total Cannabinoids/Container: 6285.888 mg

| | | | | | | | | | \ | / | |
|-----------------------------|--------|--------|---------|-------|--------|----------|-------|--------|-------|--------------|--------|
| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
| % | 0.042 | < 0.02 | 15.752 | ND | ND | 6.032 | ND | < 0.02 | ND | ND | < 0.02 |
| mg/ml | 0.403 | <0.192 | 151.219 | ND | ND | 57.907 | ND | <0.192 | ND | ND | <0.192 |
| LOD | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 |
| | % | % | % | % | % | % | % | % | % | % | % |
| alyzed by: 12, 585, 4044 | | | Weight | | | on date: | | | | xtracted by: | |

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA057893POT

Running on: 03/27/23 10:23:23

Instrument Used: DA-LC-003 (Derivatives)

Dilution: 400

Dilution : 400
Reagent : 032323.R04; 071222.01; 032323.R01
Consumables : 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

Reviewed On: 03/28/23 13:18:02

Batch Date: 03/26/23 00:01:12

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



DAVIE, FL, 33314, US

Kaycha Labs

N/A

Matrix : Derivative



Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample: DA30324011-002 Harvest/Lot ID: N/A

Batch#: 2303002 Sampled: 03/23/23 Ordered: 03/23/23

Sample Size Received: 30 ml Total Amount: 30 ml Completed: 03/28/23 Expires: 03/28/24 Sample Method : SOP Client Method

PASSED

Page 2 of 5



Pesticides

| P | A | S | S | Ε | D |
|---|---|---|---|---|---|
| | | | | | |

| | | | | | | | <u> </u> | | | | |
|------------------------------------|------|-------|-----------------|-----------|----|--|---------------------------|-------------|---------------------------------|----------------|-----------|
| Pesticide | LOD | Units | Action Level | Pass/Fail | | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.2 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.01 | mag | 0.4 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | | 0.01 | ppm | 0.1 | PASS | ND |
| CEPHATE | 0.01 | ppm | 3 | PASS | ND | PROPOXUR | | | 3 | | ND |
| EQUINOCYL | 0.01 | ppm | 2 | PASS | ND | PYRIDABEN | 0.01 | ppm | | PASS | |
| ETAMIPRID | 0.01 | ppm | 3 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 3 | PASS | ND |
| DICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 3 | PASS | ND |
| OXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.01 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.01 | ppm | 3 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 1 | PASS | ND |
| RBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND |
| RBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PENTACHLORONITROBENZENE (PC | | PPM | 0.2 | PASS | ND |
| ILORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | | 0.01 | PPM | 0.2 | PASS | ND |
| LORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | PARATHION-METHYL * | | PPM | 3 | PASS | ND |
| LORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.07 | | | | |
| OFENTEZINE | 0.01 | ppm | 0.5 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| UMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| MINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 1 | PASS | ND |
| AZINON | 0.01 | ppm | 3 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 1 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weig | ht: Extrac | tion date: | | Extracted | bv: |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | 3379, 585, 4044 0.254 | 2g 03/27/2 | 23 15:15:42 | | 3379,450 | 1 |
| HOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method: SOP.T.30.101.FL (| Gainesville), SOP. | T.30.102.FL | (Davie), SOP | .T.40.101.FL (| Gainesvil |
| OFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| OXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | Analytical Batch : DA057903PES | c) / | | On:03/28/2 | | |
| NHEXAMID | 0.01 | ppm | 3 | PASS | ND | Instrument Used: DA-LCMS-003 (PE Running on: 03/27/23 13:22:21 | 5) | Batch Da | te:03/27/23 | 07:56:41 | |
| NOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| NPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | | 032023 B08- 032 | 723 R02- 03 | 32123 R01· 0 | 32223 R01· 04 | 10521 11 |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 0405 Consumables: 6697075-02 | | | | | |
| ONICAMID | 0.01 | ppm | 2 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | | | | | |
| UDIOXONIL | 0.01 | ppm | 3 | PASS | ND | Testing for agricultural agents is perform | | d Chromatog | raphy Triple-0 | Quadrupole Ma | SS |
| XYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | Spectrometry in accordance with F.S. F | | | | | |
| AZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weigh | | ion date: | | Extracted I | by: |
| IDACLOPRID | 0.01 | ppm | 1 | PASS | ND | 450, 585, 4044 0.2542 | , | 3 15:15:42 | L (Davie) CO | 3379,450 | |
| ESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Analytical Batch : DA057905VOL | | | L (Davie), SO n : 03/28/23 1 | | |
| LATHION | 0.01 | ppm | 2 | PASS | ND | Instrument Used : DA-GCMS-001 | | | 03/27/23 08: | | |
| TALAXYL | 0.01 | ppm | 3 | PASS | ND | Running on : 03/27/23 15:27:42 | $X \setminus \mathcal{I}$ | | ,-,,25 00. | | |
| THIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| THOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 032023.R08; 040521.11; | | 23.R24 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6697075-02; 147254 | 01 | | | | |
| YCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| ALED | 0.01 | ppm | 0.5 | PASS | ND | Testing for agricultural agents is perform in accordance with F.S. Rule 64ER20-3 | | Chromatogra | phy Triple-Qu | adrupole Mass | Spectror |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



DAVIE, FL, 33314, US

Kaycha Labs

N/A



Matrix : Derivative

Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample : DA30324011-002 Harvest/Lot ID: N/A

Sampled: 03/23/23 Ordered: 03/23/23

Total Amount: 30 ml Completed: 03/28/23 Expires: 03/28/24 Sample Method : SOP Client Method

PASSED

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|------------------------|----------------------------------|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 8.0 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 4044 | Weight: 0.0207g | Extraction date: 03/28/23 14:17: | | // // \ | Extracted by: 850 |

Analysis Method: SOP.T.40.041.FL Analytical Batch : DA057930SOL Instrument Used : DA-GCMS-003 Running on: 03/28/23 14:29:42

Reagent: 030420.09 Consumables: G201.062; KF140

Pipette: DA-309 25uL Syringe 35028

Reviewed On: 03/28/23 15:43:36 Batch Date: 03/27/23 15:44:14

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

N/A

Matrix : Derivative



PASSED

Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample: DA30324011-002 Harvest/Lot ID: N/A

Sampled: 03/23/23 Ordered: 03/23/23

Sample Size Received: 30 ml Total Amount: 30 ml Completed: 03/28/23 Expires: 03/28/24 Sample Method : SOP Client Method

Page 4 of 5

Units

ppm

ppm

ppm

ppm

ppm

Result

ND

ND

ND

ND

ND

Reviewed On: 03/28/23 12:42:31

Batch Date: 03/27/23 08:00:37

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date: 03/27/23 15:15:42



Microbial

PASSED



AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A

AFLATOXIN G1

AFLATOXIN G2

Analyzed by: 3379, 585, 4044

Dilution: 250

Analyte

Mycotoxins

Weight: 0.2542g

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA057904MYC

Instrument Used: N/A Running on: 03/27/23 13:21:43

Consumables : 6697075-02 Pipette: DA-093: DA-094: DA-219

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

3379,450

Extracted by:

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
|--------------------------------|---------|------------|--------------|----------------|-----------------|--|
| ESCHERICHIA COLI SPECIFIC GENE | | | Not Present | PASS PASS | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | | | |
| ASPERGILLUS FLAVUS | | | Not Present | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | |
| | Veight: | | action date: | | Extracted by: | |
| 3621, 3390, 585, 4044 | 0154g | 03/25/23 1 | 3:19:57 | 3621 | | |

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057866MIC Reviewed On: 03/28/23

Instrument Used: PathogenDx Scanner DA-111,Applied BiosystemsBatch Date: 03/25/23

Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Running on: 03/26/23 08:50:19

Dilution: N/A

Reagent: 011223.47; 031423.R29; 092122.07

Consumables: 7558002031

Pipette: N/A

| | ing utilizing Liquid Chromatography with Triple-Quad h F.S. Rule 64ER20-39. | rupole Mass Spectrometry in |
|----|--|-----------------------------|
| Hg | Heavy Metals | PASSED |

Reagent: 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11

| Analyzed by: 3336, 3390, 585, 4044 | Weight: 1.0154g | Extraction date: N/A | Extracted by: 3621,3336,3390 |
|---------------------------------------|------------------------|----------------------|------------------------------|
| Analysis Method : SOP.T.40. | 208 (Gainesville), | SOP.T.40.209.FL | |
| Analytical Batch: DA057880 | MYT | Reviewed (| On: 03/28/23 09:11:09 |
| Instrument Used : Incubator | (25-27C) DA-097 | Batch Date | : 03/25/23 12:05:50 |
| Punning on 1 03/25/23 15:10 | 1.43 | | |

Dilution: 10 Reagent: 011223.47; 032323.R29

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-----------------|-----------|--------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METAL | . S 0.11 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 |
| Analyzed by: Weight: | Extraction dat | te: | | tracted b | |
| 1022, 585, 4044 0.226g | 03/27/23 07:3 | 1022,3619 | | | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057878HEA Instrument Used : DA-ICPMS-003 Running on: 03/27/23 11:40:44

Reviewed On: 03/28/23 08:58:56 Batch Date: 03/25/23 11:04:22

Reagent: 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31;

032323.R07; 020123.02 Consumables: 179436; 210508058; 12607-302CC-302 **Pipette**: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs N/A Matrix : Derivative

PASSED

Page 5 of 5

Certificate of Analysis

Good Forest Inc

933 Louise Ave, Suite 525 Charlotte, NC, 28204, US Telephone: (614) 074-0994 Sample : DA30324011-002 Harvest/Lot ID: N/A

Sampled: 03/23/23 Ordered: 03/23/23

Total Amount: 30 ml Completed: 03/28/23 Expires: 03/28/24 Sample Method: SOP Client Method

Filth/Foreign **Material**

PASSED

Reviewed On: 03/26/23 09:23:33

Batch Date: 03/26/23 09:10:14

Analyte Units **Action Level** Filth and Foreign Material ND PASS 0.1 % Analyzed by: Weight: **Extraction date:** Extracted by: 1879, 4044

Analysis Method: SOP.T.40.090 Analytical Batch: DA057900FIL

Instrument Used: Filth/Foreign Material Microscope Running on: 03/26/23 09:12:58

Dilution : N/A

Reagent: N/A Consumables: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23